

---

# GRANDMOTHER'S FLOWER GARDEN

---

3 HOUR CLASS



Grand Mother's Flower Garden 3 hour class

This class teaches how to piece grandmothers flower garden by machine.  
Quick and easy technique for piecing this old favorite.

Supply list:

Sewing machine with walking foot,

Thread for sewing, Pencils, Template Plastic, Straight pins, Small ruler,

Rotary cutter and mat, Sharp scissors, Seam riper, Scraps of background  
fabric and scraps of color fabric, use fabrics that are not important to you.

This is a technique class not a project class.

I will bring Pattern.


---

# PATTERN




---

For Cutting: Transfer pattern to Ink Jet Sticker Project Paper  
Transfer pattern to template plastic.  
For Marking sewing lines: Transfer template to template plastic.

For Cutting





For Marking




# CUTTING

Turn your ruler so that the wrong side is up. Line up the top edge of pattern sticker with the top edge of your ruler. Adhere pattern stickers as shown in illustration. Press in place.



- 1:  
Matching the salvages fold your fabric in half.
- 2:  
Press your fabric. This will secure the layers together so they don't shift.
- 3:  
True up the outside edge.
- 4:  
Place your ruler on your prepared fabric, lining up the edge of your sticker pattern with the edge of the fabric.
- 5:  
Cut a strip of fabric.




- 6:  
Rotate the strip of fabric 90 degrees to the left.
- 7:  
Place your ruler on top of the strip of fabric, line up the top edges of your pattern with the fabric and trim as shown.
- 8:  
Repeat the process along the length of the strip of fabric.


---

# CUTTING


---



9:  
Use first section. Rotate the fabric 30 degrees to the left.  
Line up the pattern, matching the top edges.  
Trim the excess fabric.



10:  
Rotate the fabric 30 degrees to the left.  
Line up the pattern, matching the top edges.  
Trim the excess fabric.



11:  
Rotate the fabric 30 degrees to the left.  
Line up the pattern, matching the top edges.  
Trim the excess fabric.



# CONSTRUCTION

12:

Make your sewing template.

13:

Place the template on the wrong side of the fabric. Mark the dots at each corner. The dots are the stops and starts.




Set your stitch at 2.0.

14:

Place the second piece under the center piece. Pin in place.


15:

Start sewing at first dot. Make sure to back stitch. Stop sewing at second dot. Make sure to back stitch.



16:

Finger press the seam to the outside.




17:

Place the third piece under the second piece. Pin in place.


18:

Start sewing at first dot. Make sure to back stitch. Stop sewing at second dot. Make sure to back stitch.


# CONSTRUCTION




19:  
 Rotate the third piece until it matches the next seam.  
 Be sure to pull the second piece out of the way. (as shown)  
 Pin in place.  
 Stitch from dot to dot. Remember to back stitch at the start and end.



20:  
 Finger press the seam to the outside.



21:  
 Repeat the process until all the pieces are on the second row.



Repeat the same process on the third row.